


Number of New York youth projected to die prematurely from their smoking: 377,467**Adult Tobacco Use in New York****Current Cigarette Smoking Among Adults Aged 18 and Older, 1999****Youth Tobacco Use**

	GRADES 6-8		GRADES 9-12	
	Current Cigarette Smoking	Current Any Tobacco Use	Current Cigarette Smoking	Current Any Tobacco Use
National*	9.2%	12.8%	28.5%	34.8%
NY†	9.3%	11.8%	26.8%	32.8%
Boys†	9.8%	13.5%	24.8%	34.2%
Girls†	8.8%	9.9%	29.2%	30.9%

Current Cigarette Smoking = smoked cigarettes on ≥ 1 of the 30 days preceding the survey.Current Any Tobacco Use = current use of cigarettes or smokeless tobacco or pipes or bidis or cigars or kreteks on ≥ 1 of the 30 days preceding the survey.

*Source: National Youth Tobacco Survey, 1999.


†Source: New York Youth Tobacco Survey, 2000.

Health Impact and Costs

AVERAGE ANNUAL DEATHS RELATED TO SMOKING, 1990-1994		AVERAGE ANNUAL YEARS OF POTENTIAL LIFE LOST,* 1990-1994	MEDICAL COSTS RELATED TO SMOKING, 1993	
Overall	30,741	417,206 years or an average of 13.6 years for each death due to smoking. *Calculated to life expectancy	Ambulatory	\$809,730,000
Men	18,454		Hospital	\$1,202,530,000
Women	12,287		Nursing Home†	\$1,918,450,000
Death Rate	343/100,000		Drug	\$211,150,000
Rank	19 (No. 1 is lowest death rate)		Other	\$621,640,000
			Total	\$4,763,610,000

Smoking-attributable Medicaid expenditures, New York, fiscal year 1993: \$1,850,692,000

†Preliminary estimates

Lung Cancer Death Rate*

*1997 deaths per 100,000 population, adjusted to the 1970 total U.S. population.



Scheduled 2001 settlement payment to New York: \$883,599,638.62

Tobacco Control Funding, 2001

At 45% of the CDC Best Practices recommended lower estimate funding level, New York ranks 21st (No. 1 is the highest) for tobacco control funding. New York ranks 19th (No. 1 is the lowest death rate) for average annual deaths related to smoking.

<i>FUNDING SOURCE</i>	<i>FY01 AMOUNT</i>	<i>FUNDING CYCLE</i>
State Appropriation—Settlement (Tobacco Only)	\$40,000,000	4/00–3/01
State Appropriation—Excise Tax Revenue	\$0	
State Appropriation—Other	\$0	
Subtotal: State Appropriation	\$40,000,000	
Federal—CDC Office on Smoking and Health	\$1,999,998	6/00–5/01
Federal—SAMHSA	n/a	
Non-Government Source—American Legacy Foundation	\$1,000,000	10/00–9/01
Non-Government Source—RWJF/AMA	n/a	
Subtotal: Federal/National Sources	\$2,999,998	
Total Per Capita Funding	\$42,999,998 \$2.27	

An additional \$2,000,000 was appropriated to the Department of Health for administrative costs for cancer and tobacco control programs and another \$500,000 was appropriated for school health, prenatal care assistance, breast cancer detection and education programs, and tobacco enforcement education and related activities. The Medicaid program expects to expend \$13 million to cover prescription and non-prescription smoking cessation products in FY 2001.

In New York state, approximately half of all Tobacco Settlement funds are shared with counties. These figures represent the New York state share of Tobacco Settlement appropriations and do not include settlement funds appropriated by counties for tobacco prevention and control.

Funding as a Percentage of CDC Best Practices Recommendations

	<i>RECOMMENDED FOR TOTAL PROGRAM ANNUAL COST</i>	<i>RECOMMENDED PER CAPITA FUNDING LEVEL</i>	<i>PERCENT OF CDC BEST PRACTICES RECOMMENDATIONS</i>
Lower Estimate	\$95,830,000	\$5.28	45%
Upper Estimate	\$269,296,000	\$14.85	16%

Excise Tax

Cigarette tax per pack	\$1.11
Rank = 1 (No. 1 is highest tax)	
Number of packages of cigarettes sold and taxed, per capita, 1999629
Rank = 9 (No. 1 is lowest cigarette sales)	
Federal and state taxes as a percentage of retail price	24.5%
Annual gross tax revenue from cigarettes	\$642,200,452
Smokeless tobacco tax20% of wholesale sales price